

PRODUCT INDEX

Pirtek offers a range of couplings to suit various types of suction and delivery hoses.






















Hose Menders are produced from zinc plated carbon steel, stainless steel, aluminium and brass and are available from ½" through to 8".

Strainers are available as a rugged cast iron foot valve unit and as a 'tin can' type. They are available from 1½" through to 8".

Flanged & Threaded Hose Spigots with all popular flange terminations (ASA150, PN16, TABLE D/E) are available together with BSPT threaded or plain (weld type) combination nipples.

Lug Type Hose Couplings complement the range and are available in brass, zinc plated iron, stainless steel, aluminium or white polypropylene.

Bauer galvanised water couplings are available which are fully interchangeable with products from other manufacturers. They are available from stock as male and female with hose tails but other types with flanges or threaded ends can be supplied upon application.



| | | Series | Page |
|---------------------------------------------------------------------------------------|----------------------------------------------------|---------|------|
|  | Bauer S77 Series Male Coupling Hose Connector | BMHC | 398 |
|  | Bauer S2 Series Lever Closure Ring | BLCR | 398 |
|  | Bauer S74 Series Male Coupling to BSPP Male | BMBM | 398 |
|  | Bauer S78 Series Female Coupling to Hose Connector | BFHC | 398 |
|  | Bauer S4 Series Sealing Ring | BRSR | 398 |
|  | Bauer S75 Series Female Coupling to BSPP Male | BFBM | 398 |
|  | Bauer S12 Series Male/Female 60° Bends | BSB60 | 398 |
|  | Bauer S9 Series Male End Cap | BMP | 398 |
|  | Bauer S21 Series Unequal Tee (Female/Male/Male) | BUET | 398 |
|  | Bauer S11 Series Male/Female 90° Bends | BSB90 | 399 |
|  | Bauer S8 Series Female End Cap | BFC | 399 |
|  | Bauer S27 Series Equal Tee (Male/Male/Female) | BET | 399 |
|  | Bauer S81 Series Female/Male Reducer | BRFM | 399 |
|  | Bauer S70 Series Flanged Connector Male | BFCM | 399 |
|  | Bauer HK Series Hose Connection Set | BHCK | 399 |
|  | Bauer S82 Series Female/Male Enlarger | BEFM | 399 |
|  | Bauer S73 Series Flanged Connector Female | BFCF | 399 |
|  | Brass Male BSPP Hose Tail | BR/LCM | 399 |
|  | Brass Female BSPP Hose Tail | BR/LCF | 399 |
|  | Gunmetal Male BSPP x Male BSPP | BR/LAMM | 400 |
|  | Gunmetal Male BSPP x Female BSPP | BR/LAMF | 400 |



Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

PRODUCT INDEX

| | Series | Page | | Series | Page | | Series | Page |
|-------------------------------------------------------------------------------------|---------|------|-------------------------------------------------------------------------------------|------------|------|-------------------------------------------------------------------------------------|------------|------|
|  | BR/LCP | 400 |  | PP/ULCM | 404 |  | SS/FLHT-DE | 406 |
|  | BR/LCD | 400 |  | PP/ULCF | 404 |  | SS/FLHT-D | 406 |
|  | AL/LCM | 400 |  | PP/ULCP | 404 |  | SS/FLHT-E | 406 |
|  | AL/LCF | 400 |  | PP/ULCD | 404 |  | GTCS | 406 |
|  | AL/LAMM | 401 |  | AL/ULCM | 404 |  | GTCSB | 406 |
|  | AL/LAMF | 401 |  | AL/ULCF | 404 |  | FV | 406 |
|  | AL/LCP | 401 |  | AL/ULCP | 404 |  | SFT | 406 |
|  | AL/LCD | 401 |  | AL/ULCD | 404 | | | |
|  | SS/LCM | 401 |  | SS/ULCM | 404 | | | |
|  | SS/LCF | 402 |  | SS/ULCF | 404 | | | |
|  | SS/LAMM | 402 |  | SS/ULCP | 404 | | | |
|  | SS/LAMF | 402 |  | SS/ULCD | 404 | | | |
|  | SS/LCP | 402 |  | ST/HJ | 404 | | | |
|  | SS/LCD | 402 |  | SS/HJ | 405 | | | |
|  | PP/LCM | 402 |  | BR/HJ | 405 | | | |
|  | PP/LCF | 402 |  | AL/HJ | 405 | | | |
|  | PP/LAMM | 403 |  | ST/CNS | 405 | | | |
|  | PP/LAMF | 403 |  | SS/CNS | 405 | | | |
|  | PP/LCD | 403 |  | ST/FLHT-DE | 405 | | | |
|  | ST/LCM | 403 |  | ST/FLHT-D | 405 | | | |
|  | ST/LCF | 403 |  | ST/FLHT-E | 406 | | | |

For Technical Data please see Section 9

Bauer S77 Series Male Coupling Hose Connector



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|---------------------|--------------------|--------------------|---------------------|----------------------|
| BMHC-50-50 | HK50 | 50 | 50 | 2 |
| BMHC-76-76 | HK76 | 65 | 76 | 3 |
| BMHC-89-76 | HK89 | 80 | 76 | 3 |
| BMHC-89-89 | HK89 | 80 | 89 | 3½ |
| BMHC-102-100 | HK102 | 100 | 100 | 4 |
| BMHC-108-100 | HK108 | 100 | 100 | 4 |
| BMHC-108-105 | HK108 | 100 | 105 | 4¼ |
| BMHC-133-125 | HK133 | 125 | 125 | 5 |
| BMHC-159-150 | HK159 | 150 | 150 | 6 |
| BMHC-194-200 | HK194 | 200 | 200 | 8 |

Bauer S2 Series Lever Closure Ring



| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|-----------------|--------------------|--------------------|
| BLCR-50 | HK50 | 50 |
| BLCR-76 | HK76 | 65 |
| BLCR-89 | HK89 | 80 |
| BLCR-102 | HK102 | 100 |
| BLCR-108 | HK108 | 100 |
| BLCR-133 | HK133 | 125 |
| BLCR-159 | HK159 | 150 |
| BLCR-194 | HK194 | 200 |

Bauer S74 Series Male Coupling to BSPP Male



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Male Thread 1 (ins) |
|-----------------|--------------------|--------------------|---------------------|
| BMBM-50 | HK50 | 50 | 2 |
| BMBM-76 | HK76 | 65 | 2½ |
| BMBM-89 | HK89 | 80 | 3 |
| BMBM-108 | HK108 | 100 | 4 |
| BMBM-133 | HK133 | 125 | 5 |
| BMBM-159 | HK159 | 150 | 6 |

Bauer S78 Series Female Coupling to House Connector



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|---------------------|--------------------|--------------------|---------------------|----------------------|
| BFHC-50-50 | HK50 | 50 | 50 | 2 |
| BFHC-76-76 | HK76 | 65 | 76 | 3 |
| BFHC-89-76 | HK89 | 80 | 76 | 3 |
| BFHC-89-89 | HK89 | 80 | 89 | 3½ |
| BFHC-102-100 | HK102 | 100 | 100 | 4 |
| BFHC-108-100 | HK108 | 100 | 100 | 4 |
| BFHC-108-105 | HK108 | 100 | 105 | 4¼ |
| BFHC-133-125 | HK133 | 125 | 125 | 5 |
| BFHC-159-150 | HK159 | 150 | 150 | 6 |
| BFHC-194-200 | HK194 | 200 | 200 | 8 |

Bauer S4 Series Sealing Ring



| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|-----------------|--------------------|--------------------|
| BRSR-50 | HK50 | 50 |
| BRSR-76 | HK76 | 65 |
| BRSR-89 | HK89 | 80 |
| BRSR-102 | HK102 | 100 |
| BRSR-108 | HK108 | 100 |
| BRSR-133 | HK133 | 125 |
| BRSR-159 | HK159 | 150 |
| BRSR-194 | HK194 | 200 |

Bauer S75 Series Female Coupling to BSPP Male



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Male Thread 1 (ins) |
|-----------------|--------------------|--------------------|---------------------|
| BFBM-50 | HK50 | 50 | 2 |
| BFBM-76 | HK76 | 65 | 2½ |
| BFBM-89 | HK89 | 80 | 3 |
| BFBM-108 | HK108 | 100 | 4 |
| BFBM-133 | HK133 | 125 | 5 |
| BFBM-159 | HK159 | 150 | 6 |

Bauer S12 Series Male/Female 60° Bends



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Internal Dmtr (ins) |
|------------------|--------------------|--------------------|---------------------|
| BSB60-89 | HK89 | 80 | 3½ |
| BSB60-108 | HK108 | 100 | 4¼ |
| BSB60-159 | HK159 | 150 | 6 |
| BSB60-194 | HK194 | 200 | 8 |

Bauer S9 Series Male End Cap



| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|----------------|--------------------|--------------------|
| BMP-50 | HK50 | 50 |
| BMP-76 | HK76 | 65 |
| BMP-89 | HK89 | 80 |
| BMP-102 | HK102 | 100 |
| BMP-108 | HK108 | 100 |
| BMP-133 | HK133 | 125 |
| BMP-159 | HK159 | 150 |
| BMP-194 | HK194 | 200 |

Bauer S21 Series Unequal Tee (Female/Male/Male)



| Part Number | Coupling Size (hk) | Coupling Size (dn) | Internal Dmtr (ins) |
|-----------------|--------------------|--------------------|---------------------|
| BUET-50 | HK50 | 50 | 2 |
| BUET-76 | HK76 | 65 | 3 |
| BUET-89 | HK89 | 80 | 3½ |
| BUET-102 | HK102 | 100 | 4 |
| BUET-108 | HK108 | 100 | 4¼ |
| BUET-133 | HK133 | 125 | 5 |
| BUET-159 | HK159 | 150 | 6 |
| BUET-194 | HK194 | 200 | 8 |

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Bauer S11 Series Male/Female 90° Bends

| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|------------------|--------------------|--------------------|
| BSB90-50 | HK50 | 50 |
| BSB90-76 | HK76 | 65 |
| BSB90-89 | HK89 | 80 |
| BSB90-108 | HK108 | 100 |
| BSB90-133 | HK133 | 125 |
| BSB90-159 | HK159 | 150 |
| BSB90-194 | HK194 | 200 |



Bauer S8 Series Female End Cap

| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|----------------|--------------------|--------------------|
| BFC-50 | HK50 | 50 |
| BFC-76 | HK76 | 65 |
| BFC-89 | HK89 | 80 |
| BFC-102 | HK102 | 100 |
| BFC-108 | HK108 | 100 |
| BFC-133 | HK133 | 125 |
| BFC-159 | HK159 | 150 |
| BFC-194 | HK194 | 200 |



Bauer S27 Series Equal Tee (Male/Male/Female)

| Part Number | Coupling Size (hk) | Coupling Size (dn) | Internal Dmtr (ins) |
|----------------|--------------------|--------------------|---------------------|
| BET-50 | HK50 | 50 | 2 |
| BET-89 | HK89 | 80 | 3½ |
| BET-108 | HK108 | 100 | 4¼ |
| BET-159 | HK159 | 150 | 6 |



Bauer S81 Series Female/Male Reducer

| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|---------------------|--------------------|--------------------|
| BRFM-76-50 | HK76/50 | 65/50 |
| BRFM-89-50 | HK89/50 | 80/50 |
| BRFM-108-76 | HK108/76 | 100/65 |
| BRFM-108-89 | HK108/89 | 100/80 |
| BRFM-133-108 | HK133/108 | 125/100 |
| BRFM-159-108 | HK159/108 | 150/100 |
| BRFM-194-159 | HK194/159 | 200/150 |



Bauer S70 Series Flanged Connector Male

| Part Number | Coupling Size (hk) | Coupling Size (dn) | Flange Size (ins) |
|-----------------|--------------------|--------------------|-------------------|
| BFCM-50 | HK50 | 50 | 2 |
| BFCM-76 | HK76 | 65 | 3 |
| BFCM-89 | HK89 | 80 | 3 |
| BFCM-108 | HK108 | 100 | 4 |
| BFCM-133 | HK133 | 125 | 5 |
| BFCM-159 | HK159 | 150 | 6 |
| BFCM-194 | HK194 | 200 | 8 |



Bauer HK Series Hose Connection Set

| Part Number | Coupling Size (hk) | Coupling Size (dn) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-----------------|--------------------|--------------------|---------------------|----------------------|
| BHCK-50 | HK50 | 50 | 50 | 2 |
| BHCK-76 | HK76 | 65 | 76 | 3 |
| BHCK-89 | HK89 | 80 | 76 | 3 |
| BHCK-108 | HK108 | 100 | 100 | 4 |
| BHCK-133 | HK133 | 125 | 125 | 5 |
| BHCK-159 | HK159 | 150 | 150 | 6 |
| BHCK-194 | HK194 | 200 | 200 | 8 |



Bauer S82 Series Female/Male Enlarger

| Part Number | Coupling Size (hk) | Coupling Size (dn) |
|---------------------|--------------------|--------------------|
| BEFM-50-89 | HK50/89 | 50/80 |
| BEFM-89-108 | HK89/108 | 80/100 |
| BEFM-108-159 | HK108/159 | 100/150 |
| BEFM-159-194 | HK159/194 | 150/200 |



Bauer S73 Series Flanged Connector Female

| Part Number | Coupling Size (hk) | Coupling Size (dn) | Flange Size (ins) |
|-----------------|--------------------|--------------------|-------------------|
| BFCF-50 | HK50 | 50 | 2 |
| BFCF-76 | HK76 | 65 | 3 |
| BFCF-89 | HK89 | 80 | 3 |
| BFCF-108 | HK108 | 100 | 4 |
| BFCF-133 | HK133 | 125 | 5 |
| BFCF-159 | HK159 | 150 | 6 |
| BFCF-194 | HK194 | 200 | 8 |



Brass Male BSPP Hose Tail

| Part Number | Male Thread 1 (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| BR/LCM-08 | ½ | 12 | ½ |
| BR/LCM-12 | ¾ | 19 | ¾ |
| BR/LCM-16 | 1 | 25 | 1 |
| BR/LCM-20 | 1¼ | 32 | 1¼ |
| BR/LCM-24 | 1½ | 38 | 1½ |
| BR/LCM-32 | 2 | 50 | 2 |
| BR/LCM-40 | 2½ | 63 | 2½ |
| BR/LCM-48 | 3 | 76 | 3 |
| BR/LCM-64 | 4 | 100 | 4 |
| BR/LCM-96 | 6 | 152 | 6 |



Brass Female BSPP Hose Tail

| Part Number | Female Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| BR/LCF-08 | ½ | 12 | ½ |
| BR/LCF-12 | ¾ | 19 | ¾ |
| BR/LCF-16 | 1 | 25 | 1 |
| BR/LCF-20 | 1¼ | 32 | 1¼ |
| BR/LCF-24 | 1½ | 38 | 1½ |
| BR/LCF-32 | 2 | 50 | 2 |
| BR/LCF-40 | 2½ | 63 | 2½ |
| BR/LCF-48 | 3 | 76 | 3 |
| BR/LCF-64 | 4 | 100 | 4 |
| BR/LCF-96 | 6 | 152 | 6 |



Gunmetal Male BSPP x Male BSPP



| Part Number | Male Thread (ins) | Male Thread (ins) |
|----------------------|-------------------|-------------------|
| BR/LAMM-24-24 | 1½ | 1½ |
| BR/LAMM-32-24 | 2 | 1½ |
| BR/LAMM-32-32 | 2 | 2 |
| BR/LAMM-40-32 | 2½ | 2 |
| BR/LAMM-40-40 | 2½ | 2½ |
| BR/LAMM-48-32 | 3 | 2 |
| BR/LAMM-48-40 | 3 | 2½ |
| BR/LAMM-48-48 | 3 | 3 |
| BR/LAMM-64-48 | 4 | 3 |
| BR/LAMM-64-64 | 4 | 4 |

Gunmetal Male BSPP x Female BSPP



| Part Number | Male Thread (ins) | Female Thread (ins) |
|----------------------|-------------------|---------------------|
| BR/LAMF-24-20 | 1½ | 1¼ |
| BR/LAMF-24-24 | 1½ | 1½ |
| BR/LAMF-24-32 | 1½ | 2 |
| BR/LAMF-24-40 | 1½ | 2½ |
| BR/LAMF-24-48 | 1½ | 3 |
| BR/LAMF-32-20 | 2 | 1¼ |
| BR/LAMF-32-24 | 2 | 1½ |
| BR/LAMF-32-32 | 2 | 2 |
| BR/LAMF-32-40 | 2 | 2½ |
| BR/LAMF-32-48 | 2 | 3 |
| BR/LAMF-40-32 | 2½ | 2 |
| BR/LAMF-40-40 | 2½ | 2½ |
| BR/LAMF-40-48 | 2½ | 3 |
| BR/LAMF-40-64 | 2½ | 4 |
| BR/LAMF-48-32 | 3 | 2 |
| BR/LAMF-48-40 | 3 | 2½ |
| BR/LAMF-48-48 | 3 | 3 |
| BR/LAMF-48-64 | 3 | 4 |
| BR/LAMF-64-48 | 4 | 3 |
| BR/LAMF-64-64 | 4 | 4 |

Brass Male BSPP Plug



| Part Number | Male Thread (ins) |
|------------------|-------------------|
| BR/LCP-08 | ½ |
| BR/LCP-12 | ¾ |
| BR/LCP-16 | 1 |
| BR/LCP-20 | 1¼ |
| BR/LCP-24 | 1½ |
| BR/LCP-32 | 2 |
| BR/LCP-40 | 2½ |
| BR/LCP-48 | 3 |
| BR/LCP-64 | 4 |
| BR/LCP-96 | 6 |

Brass Female BSPP Dust Cap



| Part Number | Female Thread (ins) |
|------------------|---------------------|
| BR/LCD-08 | ½ |
| BR/LCD-12 | ¾ |
| BR/LCD-16 | 1 |
| BR/LCD-20 | 1¼ |
| BR/LCD-24 | 1½ |
| BR/LCD-32 | 2 |
| BR/LCD-40 | 2½ |
| BR/LCD-48 | 3 |
| BR/LCD-64 | 4 |
| BR/LCD-96 | 6 |

Aluminium Male BSPP Hose Tail



| Part Number | Male Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|-------------------|---------------------|----------------------|
| AL/LCM-08 | ½ | 12 | ½ |
| AL/LCM-12 | ¾ | 19 | ¾ |
| AL/LCM-16 | 1 | 25 | 1 |
| AL/LCM-20 | 1¼ | 32 | 1¼ |
| AL/LCM-24 | 1½ | 38 | 1½ |
| AL/LCM-32 | 2 | 50 | 2 |
| AL/LCM-40 | 2½ | 63 | 2½ |
| AL/LCM-48 | 3 | 76 | 3 |
| AL/LCM-64 | 4 | 100 | 4 |
| AL/LCM-96 | 6 | 152 | 6 |

Aluminium Female BSPP Hose Tail



| Part Number | Female Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| AL/LCF-08 | ½ | 12 | ½ |
| AL/LCF-12 | ¾ | 19 | ¾ |
| AL/LCF-16 | 1 | 25 | 1 |
| AL/LCF-20 | 1¼ | 32 | 1¼ |
| AL/LCF-24 | 1½ | 38 | 1½ |
| AL/LCF-32 | 2 | 50 | 2 |
| AL/LCF-40 | 2½ | 63 | 2½ |
| AL/LCF-48 | 3 | 76 | 3 |
| AL/LCF-64 | 4 | 100 | 4 |
| AL/LCF-96 | 6 | 152 | 6 |

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Aluminium Male BSPP x Male BSPP

| Part Number | Male Thread (ins) | Male Thread (ins) |
|----------------------|-------------------|-------------------|
| AL/LAMM-24-24 | 1½ | 1½ |
| AL/LAMM-32-24 | 2 | 1½ |
| AL/LAMM-32-32 | 2 | 2 |
| AL/LAMM-40-32 | 2½ | 2 |
| AL/LAMM-40-40 | 2½ | 2½ |
| AL/LAMM-48-32 | 3 | 2 |
| AL/LAMM-48-40 | 3 | 2½ |
| AL/LAMM-48-48 | 3 | 3 |
| AL/LAMM-64-48 | 4 | 3 |
| AL/LAMM-64-64 | 4 | 4 |



Aluminium Male BSPP Plug

| Part Number | Male Thread (ins) |
|------------------|-------------------|
| AL/LCP-08 | ½ |
| AL/LCP-12 | ¾ |
| AL/LCP-16 | 1 |
| AL/LCP-20 | 1¼ |
| AL/LCP-24 | 1½ |
| AL/LCP-32 | 2 |
| AL/LCP-40 | 2½ |
| AL/LCP-48 | 3 |
| AL/LCP-64 | 4 |
| AL/LCP-96 | 6 |



Aluminium Male BSPP x Female BSPP

| Part Number | Male Thread (ins) | Female Thread (ins) |
|----------------------|-------------------|---------------------|
| AL/LAMF-24-20 | 1½ | 1¼ |
| AL/LAMF-24-24 | 1½ | 1½ |
| AL/LAMF-24-32 | 1½ | 2 |
| AL/LAMF-24-40 | 1½ | 2½ |
| AL/LAMF-24-48 | 1½ | 3 |
| AL/LAMF-32-20 | 2 | 1¼ |
| AL/LAMF-32-24 | 2 | 1½ |
| AL/LAMF-32-32 | 2 | 2 |
| AL/LAMF-32-40 | 2 | 2½ |
| AL/LAMF-32-48 | 2 | 3 |
| AL/LAMF-40-32 | 2½ | 2 |
| AL/LAMF-40-40 | 2½ | 2½ |
| AL/LAMF-40-48 | 2½ | 3 |
| AL/LAMF-40-64 | 2½ | 4 |
| AL/LAMF-48-32 | 3 | 2 |
| AL/LAMF-48-40 | 3 | 2½ |
| AL/LAMF-48-48 | 3 | 3 |
| AL/LAMF-48-64 | 3 | 4 |
| AL/LAMF-64-48 | 4 | 3 |
| AL/LAMF-64-64 | 4 | 4 |



Aluminium Female BSPP Dust Cap

| Part Number | Female Thread (ins) |
|------------------|---------------------|
| AL/LCD-08 | ½ |
| AL/LCD-12 | ¾ |
| AL/LCD-16 | 1 |
| AL/LCD-20 | 1¼ |
| AL/LCD-24 | 1½ |
| AL/LCD-32 | 2 |
| AL/LCD-40 | 2½ |
| AL/LCD-48 | 3 |
| AL/LCD-64 | 4 |
| AL/LCD-96 | 6 |



Stainless Steel Male BSPP Hose Tail

| Part Number | Male Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|-------------------|---------------------|----------------------|
| SS/LCM-08 | ½ | 12 | ½ |
| SS/LCM-12 | ¾ | 19 | ¾ |
| SS/LCM-16 | 1 | 25 | 1 |
| SS/LCM-20 | 1¼ | 32 | 1¼ |
| SS/LCM-24 | 1½ | 38 | 1½ |
| SS/LCM-32 | 2 | 50 | 2 |
| SS/LCM-40 | 2½ | 63 | 2½ |
| SS/LCM-48 | 3 | 76 | 3 |
| SS/LCM-64 | 4 | 100 | 4 |
| SS/LCM-96 | 6 | 152 | 6 |



3.
9

Stainless Steel Female BSPP Hose Tail



| Part Number | Female Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| SS/LCF-08 | 1/2 | 12 | 1/2 |
| SS/LCF-12 | 3/4 | 19 | 3/4 |
| SS/LCF-16 | 1 | 25 | 1 |
| SS/LCF-20 | 1 1/4 | 32 | 1 1/4 |
| SS/LCF-24 | 1 1/2 | 38 | 1 1/2 |
| SS/LCF-32 | 2 | 50 | 2 |
| SS/LCF-40 | 2 1/2 | 63 | 2 1/2 |
| SS/LCF-48 | 3 | 76 | 3 |
| SS/LCF-64 | 4 | 100 | 4 |
| SS/LCF-96 | 6 | 152 | 6 |

Stainless Steel Male BSPP Plug



| Part Number | Male Thread (ins) |
|------------------|-------------------|
| SS/LCP-08 | 1/2 |
| SS/LCP-12 | 3/4 |
| SS/LCP-16 | 1 |
| SS/LCP-20 | 1 1/4 |
| SS/LCP-24 | 1 1/2 |
| SS/LCP-32 | 2 |
| SS/LCP-40 | 2 1/2 |
| SS/LCP-48 | 3 |
| SS/LCP-64 | 4 |
| SS/LCP-96 | 6 |

3.9

Stainless Steel Male BSPP x Male BSPP



| Part Number | Male Thread 1 | Male Thread 2 |
|----------------------|---------------|---------------|
| SS/LAMM-24-24 | 1 1/2 | 1 1/2 |
| SS/LAMM-32-24 | 2 | 1 1/2 |
| SS/LAMM-32-32 | 2 | 2 |
| SS/LAMM-40-32 | 2 1/2 | 2 |
| SS/LAMM-40-40 | 2 1/2 | 2 1/2 |
| SS/LAMM-48-32 | 3 | 2 |
| SS/LAMM-48-40 | 3 | 2 1/2 |
| SS/LAMM-48-48 | 3 | 3 |
| SS/LAMM-64-48 | 4 | 3 |
| SS/LAMM-64-64 | 4 | 4 |

Stainless Steel Female BSPP Dust Cap



| Part Number | Female Thread (ins) |
|------------------|---------------------|
| SS/LCD-08 | 1/2 |
| SS/LCD-12 | 3/4 |
| SS/LCD-16 | 1 |
| SS/LCD-20 | 1 1/4 |
| SS/LCD-24 | 1 1/2 |
| SS/LCD-32 | 2 |
| SS/LCD-40 | 2 1/2 |
| SS/LCD-48 | 3 |
| SS/LCD-64 | 4 |
| SS/LCD-96 | 6 |

Stainless Steel Male BSPP x Female BSPP



| Part Number | Male Thread (ins) | Female Thread (ins) |
|----------------------|-------------------|---------------------|
| SS/LAMF-24-20 | 1 1/2 | 1 1/4 |
| SS/LAMF-24-24 | 1 1/2 | 1 1/2 |
| SS/LAMF-24-32 | 1 1/2 | 2 |
| SS/LAMF-24-40 | 1 1/2 | 2 1/2 |
| SS/LAMF-24-48 | 1 1/2 | 3 |
| SS/LAMF-32-20 | 2 | 1 1/4 |
| SS/LAMF-32-24 | 2 | 1 1/2 |
| SS/LAMF-32-32 | 2 | 2 |
| SS/LAMF-32-40 | 2 | 2 1/2 |
| SS/LAMF-32-48 | 2 | 3 |
| SS/LAMF-40-32 | 2 1/2 | 2 |
| SS/LAMF-40-40 | 2 1/2 | 2 1/2 |
| SS/LAMF-40-48 | 2 1/2 | 3 |
| SS/LAMF-40-64 | 2 1/2 | 4 |
| SS/LAMF-48-32 | 3 | 2 |
| SS/LAMF-48-40 | 3 | 2 1/2 |
| SS/LAMF-48-48 | 3 | 3 |
| SS/LAMF-48-64 | 3 | 4 |
| SS/LAMF-64-48 | 4 | 3 |
| SS/LAMF-64-64 | 4 | 4 |

Polypropylene Male BSPP Hose Tail



| Part Number | Male Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|-------------------|---------------------|----------------------|
| PP/LCM-08 | 1/2 | 12 | 1/2 |
| PP/LCM-12 | 3/4 | 19 | 3/4 |
| PP/LCM-16 | 1 | 25 | 1 |
| PP/LCM-20 | 1 1/4 | 32 | 1 1/4 |
| PP/LCM-24 | 1 1/2 | 38 | 1 1/2 |
| PP/LCM-32 | 2 | 50 | 2 |
| PP/LCM-40 | 2 1/2 | 63 | 2 1/2 |
| PP/LCM-48 | 3 | 76 | 3 |
| PP/LCM-64 | 4 | 100 | 4 |
| PP/LCM-96 | 6 | 152 | 6 |

Polypropylene Female BSPP Hose Tail



| Part Number | Female Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| PP/LCF-08 | 1/2 | 12 | 1/2 |
| PP/LCF-12 | 3/4 | 19 | 3/4 |
| PP/LCF-16 | 1 | 25 | 1 |
| PP/LCF-20 | 1 1/4 | 32 | 1 1/4 |
| PP/LCF-24 | 1 1/2 | 38 | 1 1/2 |
| PP/LCF-32 | 2 | 50 | 2 |
| PP/LCF-40 | 2 1/2 | 63 | 2 1/2 |
| PP/LCF-48 | 3 | 76 | 3 |
| PP/LCF-64 | 4 | 100 | 4 |
| PP/LCF-96 | 6 | 152 | 6 |

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Polypropylene Male BSPP x Male BSPP

| Part Number | Male Thread (ins) | Male Thread (ins) |
|----------------------|-------------------|-------------------|
| PP/LAMM-24-24 | 1½ | 1½ |
| PP/LAMM-32-24 | 2 | 1½ |
| PP/LAMM-32-32 | 2 | 2 |
| PP/LAMM-40-32 | 2½ | 2 |
| PP/LAMM-40-40 | 2½ | 2½ |
| PP/LAMM-48-32 | 3 | 2 |
| PP/LAMM-48-40 | 3 | 2½ |
| PP/LAMM-48-48 | 3 | 3 |
| PP/LAMM-64-48 | 4 | 3 |
| PP/LAMM-64-64 | 4 | 4 |



Polypropylene Female BSPP Dust Cap

| Part Number | Female Thread (ins) |
|------------------|---------------------|
| PP/LCD-08 | ½ |
| PP/LCD-12 | ¾ |
| PP/LCD-16 | 1 |
| PP/LCD-20 | 1¼ |
| PP/LCD-24 | 1½ |
| PP/LCD-32 | 2 |
| PP/LCD-40 | 2½ |
| PP/LCD-48 | 3 |
| PP/LCD-64 | 4 |
| PP/LCD-96 | 6 |



Polypropylene Male BSPP x Female BSPP

| Part Number | Male Thread (ins) | Female Thread (ins) |
|----------------------|-------------------|---------------------|
| PP/LAMF-24-20 | 1½ | 1¼ |
| PP/LAMF-24-24 | 1½ | 1½ |
| PP/LAMF-24-32 | 1½ | 2 |
| PP/LAMF-24-40 | 1½ | 2½ |
| PP/LAMF-24-48 | 1½ | 3 |
| PP/LAMF-32-20 | 2 | 1¼ |
| PP/LAMF-32-24 | 2 | 1½ |
| PP/LAMF-32-32 | 2 | 2 |
| PP/LAMF-32-40 | 2 | 2½ |
| PP/LAMF-32-48 | 2 | 3 |
| PP/LAMF-40-32 | 2½ | 2 |
| PP/LAMF-40-40 | 2½ | 2½ |
| PP/LAMF-40-48 | 2½ | 3 |
| PP/LAMF-40-64 | 2½ | 4 |
| PP/LAMF-48-32 | 3 | 2 |
| PP/LAMF-48-40 | 3 | 2½ |
| PP/LAMF-48-48 | 3 | 3 |
| PP/LAMF-48-64 | 3 | 4 |
| PP/LAMF-64-48 | 4 | 3 |
| PP/LAMF-64-64 | 4 | 4 |



Plated Steel Male BSPP Hose Tail

| Part Number | Male Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|-------------------|---------------------|----------------------|
| ST/LCM-16 | 1 | 25 | 1 |
| ST/LCM-20 | 1¼ | 32 | 1¼ |
| ST/LCM-24 | 1½ | 38 | 1½ |
| ST/LCM-32 | 2 | 50 | 2 |
| ST/LCM-40 | 2½ | 63 | 2½ |
| ST/LCM-48 | 3 | 76 | 3 |
| ST/LCM-64 | 4 | 100 | 4 |
| ST/LCM-96 | 6 | 152 | 6 |



Plated Steel Female BSPP Hose Tail

| Part Number | Female Thread (ins) | Hose Tail Size (mm) | Hose Tail Size (ins) |
|------------------|---------------------|---------------------|----------------------|
| ST/LCF-16 | 1 | 25 | 1 |
| ST/LCF-20 | 1¼ | 32 | 1¼ |
| ST/LCF-24 | 1½ | 38 | 1½ |
| ST/LCF-32 | 2 | 50 | 2 |
| ST/LCF-40 | 2½ | 63 | 2½ |
| ST/LCF-48 | 3 | 76 | 3 |
| ST/LCF-64 | 4 | 100 | 4 |
| ST/LCF-96 | 6 | 152 | 6 |



3.
9

Polypropylene Male URT Hose Tail



| Part Number | Male Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|-------------|---------------------|----------------------|
| PP/ULCM-48 | 3 | 76 | 3 |
| PP/ULCM-64 | 4 | 100 | 4 |

Polypropylene Female URT Hose Tail



| Part Number | Female Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|---------------|---------------------|----------------------|
| PP/ULCF-48 | 3 | 76 | 3 |
| PP/ULCF-64 | 4 | 100 | 4 |

Polypropylene Male URT Plug



| Part Number | Male Thread |
|-------------------|-------------|
| PP/ULCP-48 | 3 |
| PP/ULCP-64 | 4 |

Polypropylene Female URT Dust Cap



| Part Number | Female Thread |
|-------------------|---------------|
| PP/ULCD-48 | 3 |
| PP/ULCD-64 | 4 |

Aluminium Male URT Hose Tail



| Part Number | Male Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|-------------|---------------------|----------------------|
| AL/ULCM-48 | 3 | 76 | 3 |
| AL/ULCM-64 | 4 | 100 | 4 |

Aluminium Female URT Hose Tail



| Part Number | Female Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|---------------|---------------------|----------------------|
| AL/ULCF-48 | 3 | 76 | 3 |
| AL/ULCF-64 | 4 | 100 | 4 |

Aluminium Male URT Plug



| Part Number | Male Thread |
|-------------------|-------------|
| AL/ULCP-48 | 3 |
| AL/ULCP-64 | 4 |

Aluminium Female URT Dust Cap



| Part Number | Female Thread |
|-------------------|---------------|
| AL/ULCD-48 | 3 |
| AL/ULCD-64 | 4 |

Stainless Steel Male URT Hose Tail



| Part Number | Male Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|-------------|---------------------|----------------------|
| SS/ULCM-48 | 3 | 76 | 3 |
| SS/ULCM-64 | 4 | 100 | 4 |

Stainless Steel Female URT Hose Tail



| Part Number | Female Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|---------------|---------------------|----------------------|
| SS/ULCF-48 | 3 | 76 | 3 |
| SS/ULCF-64 | 4 | 100 | 4 |

Stainless Steel Male URT Plug



| Part Number | Male Thread |
|-------------------|-------------|
| SS/ULCP-48 | 3 |
| SS/ULCP-64 | 4 |

Stainless Steel Female URT Dust Cap



| Part Number | Female Thread |
|-------------------|---------------|
| SS/ULCD-48 | 3 |
| SS/ULCD-64 | 4 |

Plated Steel Hose Tail x Hose Tail



| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) |
|----------------------|---------------------|----------------------|
| ST/HJ-04-04 | 6 | 1/4 |
| ST/HJ-06-06 | 10 | 3/8 |
| ST/HJ-08-08 | 12 | 1/2 |
| ST/HJ-12-12 | 19 | 3/4 |
| ST/HJ-16-16 | 25 | 1 |
| ST/HJ-20-20 | 32 | 1 1/4 |
| ST/HJ-24-24 | 38 | 1 1/2 |
| ST/HJ-32-32 | 50 | 2 |
| ST/HJ-40-40 | 63 | 2 1/2 |
| ST/HJ-48-48 | 76 | 3 |
| ST/HJ-64-64 | 100 | 4 |
| ST/HJ-80-80 | 125 | 5 |
| ST/HJ-96-96 | 150 | 6 |
| ST/HJ-128-128 | 200 | 8 |
| ST/HJ-160-160 | 250 | 10 |
| ST/HJ-192-192 | 300 | 12 |

Industrial Hose & Couplings

SUCTION & DELIVERY COUPLINGS

Stainless Steel Hose Tail x Hose Tail

| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) |
|----------------------|---------------------|----------------------|
| SS/HJ-04-04 | 6 | 1/4 |
| SS/HJ-06-06 | 10 | 3/8 |
| SS/HJ-08-08 | 12 | 1/2 |
| SS/HJ-12-12 | 19 | 3/4 |
| SS/HJ-16-16 | 25 | 1 |
| SS/HJ-20-20 | 32 | 1 1/4 |
| SS/HJ-24-24 | 38 | 1 1/2 |
| SS/HJ-32-32 | 50 | 2 |
| SS/HJ-40-40 | 63 | 2 1/2 |
| SS/HJ-48-48 | 76 | 3 |
| SS/HJ-64-64 | 100 | 4 |
| SS/HJ-80-80 | 125 | 5 |
| SS/HJ-96-96 | 150 | 6 |
| SS/HJ-128-128 | 200 | 8 |
| SS/HJ-160-160 | 250 | 10 |
| SS/HJ-192-192 | 300 | 12 |



Plated Steel Male BSPT x Hose Tail

| Part Number | Male Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|-------------|---------------------|----------------------|
| ST/CNS-08 | 1/2 | 12 | 1/2 |
| ST/CNS-12 | 3/4 | 19 | 3/4 |
| ST/CNS-16 | 1 | 25 | 1 |
| ST/CNS-20 | 1 1/4 | 32 | 1 1/4 |
| ST/CNS-24 | 1 1/2 | 38 | 1 1/2 |
| ST/CNS-32 | 2 | 50 | 2 |
| ST/CNS-40 | 2 1/2 | 63 | 2 1/2 |
| ST/CNS-48 | 3 | 76 | 3 |
| ST/CNS-64 | 4 | 100 | 4 |
| ST/CNS-80 | 5 | 125 | 5 |
| ST/CNS-96 | 6 | 150 | 6 |
| ST/CNS-128 | 8 | 200 | 8 |
| ST/CNS-160 | 10 | 250 | 10 |
| ST/CNS-192 | 12 | 300 | 12 |



Brass Hose Tail x Hose Tail

| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) |
|----------------------|---------------------|----------------------|
| BR/HJ-04-04 | 6 | 1/4 |
| BR/HJ-06-06 | 10 | 3/8 |
| BR/HJ-08-08 | 12 | 1/2 |
| BR/HJ-12-12 | 19 | 3/4 |
| BR/HJ-16-16 | 25 | 1 |
| BR/HJ-20-20 | 32 | 1 1/4 |
| BR/HJ-24-24 | 38 | 1 1/2 |
| BR/HJ-32-32 | 50 | 2 |
| BR/HJ-40-40 | 63 | 2 1/2 |
| BR/HJ-48-48 | 76 | 3 |
| BR/HJ-64-64 | 100 | 4 |
| BR/HJ-80-80 | 125 | 5 |
| BR/HJ-96-96 | 150 | 6 |
| BR/HJ-128-128 | 200 | 8 |
| BR/HJ-160-160 | 250 | 10 |
| BR/HJ-192-192 | 300 | 12 |



Stainless Steel Male BSPT x Hose Tail

| Part Number | Male Thread | Hose Tail Size (mm) | Hose Tail Size (ins) |
|-------------------|-------------|---------------------|----------------------|
| SS/CNS-08 | 1/2 | 12 | 1/2 |
| SS/CNS-12 | 3/4 | 19 | 3/4 |
| SS/CNS-16 | 1 | 25 | 1 |
| SS/CNS-20 | 1 1/4 | 32 | 1 1/4 |
| SS/CNS-24 | 1 1/2 | 38 | 1 1/2 |
| SS/CNS-32 | 2 | 50 | 2 |
| SS/CNS-40 | 2 1/2 | 63 | 2 1/2 |
| SS/CNS-48 | 3 | 76 | 3 |
| SS/CNS-64 | 4 | 100 | 4 |
| SS/CNS-80 | 5 | 125 | 5 |
| SS/CNS-96 | 6 | 150 | 6 |
| SS/CNS-128 | 8 | 200 | 8 |
| SS/CNS-160 | 10 | 250 | 10 |
| SS/CNS-192 | 12 | 300 | 12 |



Aluminium Hose Tail x Hose Tail

| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) |
|----------------------|---------------------|----------------------|
| AL/HJ-06-06 | 10 | 3/8 |
| AL/HJ-08-08 | 12 | 1/2 |
| AL/HJ-12-12 | 19 | 3/4 |
| AL/HJ-16-16 | 25 | 1 |
| AL/HJ-20-20 | 32 | 1 1/4 |
| AL/HJ-24-24 | 38 | 1 1/2 |
| AL/HJ-32-32 | 50 | 2 |
| AL/HJ-40-40 | 63 | 2 1/2 |
| AL/HJ-48-48 | 76 | 3 |
| AL/HJ-64-64 | 100 | 4 |
| AL/HJ-80-80 | 125 | 5 |
| AL/HJ-96-96 | 150 | 6 |
| AL/HJ-128-128 | 200 | 8 |
| AL/HJ-160-160 | 250 | 10 |
| AL/HJ-192-192 | 300 | 12 |



Plated Steel Table D/E Flange to Hose Tail

| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|-----------------------|---------------------|----------------------|-------------|
| ST/FLHT-DE-75 | 19 | 3/4 | 3/4 |
| ST/FLHT-DE-100 | 25 | 1 | 1 |
| ST/FLHT-DE-125 | 32 | 1 1/4 | 1 1/4 |
| ST/FLHT-DE-150 | 38 | 1 1/2 | 1 1/2 |
| ST/FLHT-DE-200 | 50 | 2 | 2 |
| ST/FLHT-DE-250 | 63 | 2 1/2 | 2 1/2 |
| ST/FLHT-DE-300 | 76 | 3 | 3 |



Plated Steel Table D Flange to Hose Tail

| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|-----------------------|---------------------|----------------------|-------------|
| ST/FLHT-D-400 | 100 | 4 | 4 |
| ST/FLHT-D-500 | 125 | 5 | 5 |
| ST/FLHT-D-600 | 150 | 6 | 6 |
| ST/FLHT-D-800 | 200 | 8 | 8 |
| ST/FLHT-D-1000 | 250 | 10 | 10 |
| ST/FLHT-D-1200 | 300 | 12 | 12 |



Plated Steel Table E Flange to Hose Tail



| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|-----------------------|---------------------|----------------------|-------------|
| ST/FLHT-E-400 | 100 | 4 | 4 |
| ST/FLHT-E-500 | 125 | 5 | 5 |
| ST/FLHT-E-600 | 150 | 6 | 6 |
| ST/FLHT-E-800 | 200 | 8 | 8 |
| ST/FLHT-E-1000 | 250 | 10 | 10 |
| ST/FLHT-E-1200 | 300 | 12 | 12 |

Stainless Steel Table D/E Flange to Hose Tail



| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|-----------------------|---------------------|----------------------|-------------|
| SS/FLHT-DE-100 | 25 | 1 | 1 |
| SS/FLHT-DE-125 | 32 | 1¼ | 1¼ |
| SS/FLHT-DE-150 | 38 | 1½ | 1½ |
| SS/FLHT-DE-200 | 50 | 2 | 2 |
| SS/FLHT-DE-250 | 63 | 2½ | 2½ |
| SS/FLHT-DE-300 | 76 | 3 | 3 |

Stainless Steel Table D Flange to Hose Tail



| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|----------------------|---------------------|----------------------|-------------|
| SS/FLHT-D-400 | 100 | 4 | 4 |

Stainless Steel Table E Flange to Hose Tail



| Part Number | Hose Tail Size (mm) | Hose Tail Size (ins) | Flange Size |
|----------------------|---------------------|----------------------|-------------|
| SS/FLHT-E-400 | 100 | 4 | 4 |

Galvanised Strainer to Hose Tail



| Part Number | Hose Tail Size (ins) |
|-----------------|----------------------|
| GTCS-16 | 1 |
| GTCS-20 | 1¼ |
| GTCS-24 | 1½ |
| GTCS-32 | 2 |
| GTCS-40 | 2½ |
| GTCS-48 | 3 |
| GTCS-64 | 4 |
| GTCS-96 | 6 |
| GTCS-128 | 8 |

Galvanised Strainer to BSPP Female



| Part Number | Hose Tail Size (ins) |
|-----------------|----------------------|
| GTCSB-24 | 1½ |
| GTCSB-32 | 2 |
| GTCSB-48 | 3 |
| GTCSB-64 | 4 |

Foot Valve Strainer to Hose Tail



| Part Number | Hose Tail Size (ins) |
|--------------|----------------------|
| FV-20 | 1¼ |
| FV-24 | 1½ |
| FV-32 | 2 |
| FV-40 | 2½ |
| FV-48 | 3 |
| FV-64 | 4 |
| FV-80 | 5 |
| FV-96 | 6 |

Malleable Iron Foot Valve Strainer to BSPP Female



| Part Number | Female Thread |
|----------------|---------------|
| SFT-24 | 1½ |
| SFT-32 | 2 |
| SFT-40 | 2½ |
| SFT-48 | 3 |
| SFT-64 | 4 |
| SFT-96 | 6 |
| SFT-128 | 8 |